

CE Workgroup

Status of Embedded Linux

December 2017

Tim Bird

Architecture Group Chair


LF Core Embedded Linux Project



Nature of this talk...

- Quick overview of lots of embedded topics
- A springboard for further research
 - If you see something interesting, you have a link or something to search for







Outline

Kernel Versions
Technology Areas
CE Workgroup Projects
Other Stuff
Resources



Outline





Kernel Versions

- Linux v4.9 11 Dec 2016 70 days
- Linux v4.10 19 Feb 2017 70 days
- Linux v4.11 30 Apr 2017 70 days
- Linux v4.12 2 Jul 2017 63 days
- Linux v4.13 3 Sep 2017 63 days
- Linux v4.14 12 Nov 2017 70 days
- Linux v4.15-rc1
 - 4.15 I predict: 21 Jan 2018 (70 days))



- Virtually mapped kernel stacks
 - http://lwn.net/Articles/692953/
 - Allows to detect stack overruns
 - Cleans up kernel code, faster process creation
 - Only on x86, for now
- Greybus https://lwn.net/Articles/715955/
- Timed samples for eBPF
- Modversions deprecated
 - See https://lwn.net/Articles/707520/



- Perf sched timehist
- Hybrid block polling
 - Supports polling for block I/O, but with a short delay (estimated) before the polling starts
 - Improves performance by queuing blocks as soon as device is ready (via polling)
 - Uses less CPU than full polling
- Support for ARM SoCs:
 - Huawei, Allwinner, Marvel, Renesas
- Posix timers are configurable
- Initramfs compression method is selectable
- New interface for system sleep state selection
 - /sys/power/mem_sleep
- UBIFS support for encryption



- New kernel refcount API
- TinyDRM subsystem added
- New statx() system call
 - https://lwn.net/Articles/707602/
 - 2038-safe time values
 - Mask of fields to obtain (for efficiency)
- Sched.h refactoring
 - Non-mainline code: watch out!



- BFQ and Kyber block I/O schedulers
- Mini-tty prep work
 - Not full mini-tty implementation yet
- Proper support for USB type-C connectors
- AnalyzeBoot tool
 - Reads dmesg (and possibly ftrace log) and produces html graph of boot events
 - Part of Intel pm-graph tools project
 - https://github.com/01org/pm-graph
 - See tools/power/pm-graph/analyze_boot.py





- TLS implementation in the kernel
 - Should help with HTTPS performance
 - See https://lwn.net/Articles/666509/
- Next-interrupt prediction
- F2FS support for disk quotas
- Kselftest transitioning to TAP13 protocol





- New kernel stack unwinder (ORC) for x86_64
 - Better unwinding via kernel-specific out-of-band structure (for every kernel PC address)
 - See https://lwn.net/Articles/728339/
- zstd compression for btrfs and squashfs
- Better cpufreq coordination with SMP







Linux 4.15 (expected)

- Cramfs supports mapping persistent memory
 - Can use for XIP
- AMD display core system accepted
 - 130k driver!
- Device tree compiler has support for overlays



Outline





Bootup Time

- Analyze_boot tool new in in 4.12
- Some good previous talks:
 - ELCE 2017 A Pragmatic Guide to Boot-Time Optimization by Chris Simmonds
 - ELCE 2014 12 Lessons Learnt in Boot Time Reduction by Andrew Murray
 - ELC 2015 Fastboot Tools and Techniques by John Mehaffey
- Android boot time ideas
 - ELC 2017 Improving the bootup speed of AOSP – Bernhard Rosenkranzer



Device Tree

- Device Tree validation
 - Schema for binding language, validator for bindings and for device tree data
 - New proposal for device tree validation by Pantellis and Grant Likely
- Updated Device Tree specification
 - Want to update material and make it more available
- Overlays
 - Device tree compiler has support for overlays



File Systems

- zstd compression for btrfs and squashfs (4.14)
 - Faster and smaller compression/decompression
 - https://clearlinux.org/blogs/linux-os-data-compressionoptions-comparing-behavior
 - How to use it (BTRFS):
 - https://btrfs.wiki.kernel.org/index.php/Compression
 - See https://www.phoronix.com/scan.php?page=news_i tem&px=Linux-4.14-Zstd-Pull
- F2FS support for disk quotes (4.13, 4.15)
 - Apparently used by Android
- UBIFS support for encryption (4.10)



Graphics

₹ TinyDRM

- Provides graphic support for small simple displays (eg displays over i2C or SPI)
- Hope to replace framebuffer drivers over time
- See
 https://www.phoronix.com/scan.php?page=news
 item&px=TinyDRM-Patches-Posted
- Presentation
 - ELC 2017 What Can Vulkan do for You? by Jason Ekstrand



GPU drivers

- Nvidia, Vivante and Broadcom GPUs have open drivers
 - Nouveau, Etnaviv, and VideoCore 4
- Qualcomm Adreno
 - Freedreno continues to be developed (June 2017)
 - See https://www.xda-developers.com/open-source-adrenoproject-freedreno-receives-new-update/
- Imagination PowerVR no public driver, although one was teased in 2015
 - Apple dropping Imagination (April 2017)
- ARM Mali Some work (Lima project) on earlier chip versions
 - Status update: https://lwn.net/Articles/716600/
 - Some recent work:
 - https://github.com/yuq/linux-lima
 - https://notabug.org/cafe/chai



Networking

- Time Sensitive Networking
 - ELCE 2017 Deterministic Networking for Real-Time Systems (Using TSN) – by Henrik Austad
 - so_txtime option for high-resolution transmit time
 - IEEE deterministic networking (DetNet) working group
 - Lots of standards





Power Management

- Power-efficient workqueues
 - More efficient work scheduling
 - Results in about 15% better energy consumption
 - See https://lwn.net/Articles/731052/
- Better cpufreq coordination with SMP
 - Allows non-local CPU to adjust frequency
 - Good for when a non-local CPU schedules work on a CPU, and the work needs a frequency boost
 - See https://lwn.net/Articles/732740/



Real Time

- Realtime Summit
 - Realtime trouble, lessons learned
 - Using Coccinelle to detect and fix nested execution context violations
 - SCHED_DEADLINE: what's next?
 - Future of tracing
 - See https://lwn.net/Articles/738001/
- Status of Prempt-RT patch
 - Hotplug locking
 - Timer wheel rework
 - Big outstanding issue: dentry cache locking



Real Time (cont.)

Presentations:

- ELCE 2017 Deterministic Networking for Real-Time Systems (Using TSN) – by Henrik Austad
- ELCE 2017 Measuring the Impacts of the Preempt-RT Patch – by Maxime Chevallier
- ELC 2017 Effectively Measure and Reduce Kernel Latencies for Real-time Constraints – by Jim Huang
- ELC 2017 Real-Time Linux on Embedded Multicore Processors – by Andres Ehmanns



Security

Kernel hardening


- http://kernsec.org/wiki/index.php/Kernel_Self_Protection Project
 - Rare write infrastructure
 - Keep some code and data read-only most of the time
 - https://lwn.net/Articles/724319/
- GCC plugins for kernel security
 - Kernexec
 - Prevent kernel from executing user-space code
 - Structleak (mainlined in 4.11)
 - Zero out kernel structures passed to user space, under some conditions
 - See https://lwn.net/Articles/712161/
 - Randstruct
 - Randomize C structure layout
 - See https://lwn.net/Articles/722293/



Security Presentations

- ELC 2017 Securing Embedded Linux Systems with TPM 2.0 – by Philip Tricca
- ELCE 2017 Security Features for UBIFS by Richard Weinberger








System Size

- Initramfs compression method is selectable
- Nicolas Pitre work
 - Configurable POSIX timers in v4.10
 - https://lwn.net/Articles/701095/
 - Mini TTY
 - Smaller implementation of TTY subsystem, for embedded
 - Saves about 38K
 - https://lwn.net/Articles/721074/
 - People wanted refactoring of full-size TTY instead of new small implementation, but Nicolas said that wasn't feasible



System Size (cont.)

- Shrinking the scheduler
 - Drops features and eliminates realtime and deadline scheduler classes
 - Saves about 20k
 - https://lwn.net/Articles/725376/
 - Lots of resistance to this
 - Code complexity increase is not worth saving 20k (according to Ingo Molnar)
 - Disagreement on whether Linux should support computers with sub-1MB memory



Size Presentations

- ELCE 2017 Embedded Linux Size Reduction Techniques – By Michael Opdenacker
 - Great overview of reduction techniques and status
 - Toybox and musl (smaller libc) are worth looking at
 - Long list of things that can be worked on
- Linaro Connect SFO 2017: Internet of Tiny Linux (IoTL): Episode IV – by Nicolas Pitre
 - http://connect.linaro.org/resource/sfo17/sfo17-100/
- LinuxCon North America: Running Linux on Tiny Peripherals – by Marcel Holtmann
 - Got Linux to around 1MB for IOT sensor project



Testing

- Kselftest
- Fuego
- Kernelci.org
- LAVA V2
- Kernel regression tracking
- Plumbers session on testing







Kselftest

- Unit test system inside kernel source tree
- Recent work:
 - silent option, to reduce output clutter
 - Support for O= option, to build outside source directory
 - Lots more regression tests (preferred place for syscall compatibility/regression tests (over LTP)
 - Converting to TAP (Test Anything Protocol) for test output (started in 4.13)
- See https://lwn.net/Articles/737893/



Fuego

- New Test Framework for collaborating on tests and test infrastructure for Linux
- V1.1 features (April 2017)
 - Upgrade to latest Jenkins
 - Test script refactoring
 - Fuego container directory layout change
 - About 40 new tests
- V1.2 plans (RC very soon (Sep 2017)
 - Unified output format
 - Convert all test results to JSON, in a format compatible with Kernel CI
 - New pass criteria system
 - Test dependency system
 - Board dynamic variables



Kernelci.org

- Place to get free build/boot testing for your board
 - Builds 126 trees continuously, then reports any errors
- http://kernelci.org
- Presentations:
 - ELC and ELCE 2016 by Kevin Hilman
 - Linaro Connect:
 - Kernelci and lava update See https://lwn.net/Articles/716600/
- The most successful public, distributed build and test system for Linux, in the world!



LAVA

- Linaro Automation and Validation Architecture
- V2
 - Job files now use Jinja2 templates
 - Was previously hand-written JSON
 - Jobs are run asynchronously, without polling,
 - ZeroMQ is used for communications.
 - ReactOBus is used to run jobs from messages.
 - Requires more explicit board configuration



Other efforts

- Kernel regression tracking
 - Thorsten Leemhuis reported at kernel summit issues and difficulties doing regression tracking
 - Kernel developers don't like Bugzilla
 - Not enough people doing this work (no community effect)
 - Errors on specific hardware are hard to reproduce
 - Would be good to identify sub-systems with more regressions and target those for more testing
 - See https://lwn.net/Articles/737666/ and https://lwn.net/Articles/738216/
- Plumbers sessions on testing
 - See https://lwn.net/Articles/734016/ and https://lwn.net/Articles/735034/



Toolchains

- LLVM 4.0.0 is released
 - Some code size improvements from optimizations (GVNHoist)
 - Experimental support for LLVM coroutines
 - https://lwn.net/Articles/716979/
- Presentations:
 - ELC 2017 GCC/Clang Optimizations for Embedded Linux – by Khem Raj
 - Plumbers 2017 Building the kernel with Clang by Nick Desaulniers
 - https://lwn.net/Articles/734071/



Tracing

- More perf tools (both in 4.10):
 - perf sched timehist
 - Analysis of scheduling events
 - perf c2c
 - Cacheline contention analysis
- Presentations:
 - ELC 2017 Dynamic Tracing Tools on ARM/AArch64 Platform: Updates and Challenges
 - by Hiroyuki Ishii
 - Great overview



Miscellaneous

- Printk issues
- Year 2038 work
- Linus issues with Kconfig
- AGL making inroads
- Android mainlining status
- Linux in Supercomputers
- FreeRTOS switched to MIT license



Printk issues

- Discussion on kernel summit mailing list
 - Lots of issues with printk
 - It's not per-CPU, console lock held too long, it has complicated code paths, and lots more
 - See thread start at:
 - https://lists.linuxfoundation.org/pipermail/ksummitdiscuss/2017-June/004358.html
- Recent discussions about KERN_CONT
 - KERN_CONT is unreliable for SMP kernels
 - Latest kernelput '\n' between lines that don't have KERN CONT
 - Eventual removal of KERN_CONT
 - Maybe use of seq_buf for outputting serialized date atomically
 - https://lwn.net/Articles/732420/



Year 2038 work

- √ 3 areas of work
 - Converting all 32-bit timestamps to 64-bit in the kernel
 - e.g. New statx() system call
 - Many patches are in-progress (vfs layer, v4l, devicemapper, input subsystem)
 - C libraries
 - Lots of work in glibc to make everything backwards compatible
 - Even programs built with 32-bit timestamps should work
 - Distribution builds fixing up individual packages
- See https://lwn.net/Articles/717076/



Linus issues with Kconfig

- Discussion on kernel summit mailing list
 - Kconfig is too hard for end users
 - What can be done?
 - Linus' complaint:
 - https://lists.linuxfoundation.org/pipermail/ksummitdiscuss/2017-June/004504.html
- Ideas:
 - Config fragments
 - Higher level options
 - Better dependencies
 - From distro feature to kernel config



AGL status

- First car in US with Entune (AGL-based infotainment OS) will be 2018 Toyota Camry
 - Announced at Open Source Summit Japan by Toyota
- Mazda and Toyota collaborating on Entune
 - https://www.theregister.co.uk/2017/08/29/mazda _toyota_linux_entune_car_infotainment/





Android mainline status

- Lots of Android SoC support still out-of-tree
 - Vendors are starting to mainline things, but it will take time (many years)
 - Android kernels for shipping devices are likely to remain 2-years behind mainline
 - LTS support expires at 2 years
 - Greg will maintain some LTS kernels for 6 years, but stop if vendors don't use it
 - There is interest in improving LTP
 - But mainline on Android devices would be better
 - See https://lwn.net/Articles/738225/ for report by Greg Kroah-Hartman



Linux in Supercomputers

- Linux now runs 100% of the top 500 supercomputers
 - As of November, 2017
 - Was 99.6% (498 out of 500) in June 2017
 - Most powerful machine, China's "Sunway TaihuLight" uses 650,000 processors!
 - See http://www.omgubuntu.co.uk/2017/11/linuxnow-powers-100-worlds-top-500supercomputers



FreeRTOS license change

- FreeRTOS switch to MIT license
 - Richard Barry started working for Amazon last year
 - Amazon released FreeRTOS version10 with MIT license
 - Removed GPL v2 (with extra clauses)
 - Added branding "fair use" clause to MIT
 - Is a pretty big deal, IMHO
 - See https://lwn.net/Articles/740372




Outline







Projects and initiatives

- Shared Embedded Distribution
- LTSI
- Fuego
- eLinux wiki









Shared Embedded Distribution

Goals

- Create an industry-supported distribution of embedded Linux
 - Main goal is very long term support (15 years)

Status

- Working on building Debian with Yocto Project
- 3 projects meta-debian, isar and elbe wish to collaborate and combine their yocto recipes into a single layer.

Next steps

Continued integration of Debian-based build and packaging systems



Long Term Support Initiative


- LTSI 4.9 is current LTSI kernel
 - Work is in progress on next release 4.14
- Most of industry is using LTS or LTSI
- Using upstream-first policy for patches
- Security fixes are very important
- Presentation:
 - ELCE 2017 Using Long Term Stable Kernel for the Embedded Products – by Tsugikazu Shibata



Fuego - Linux Test Framework

- Working on lots of issues
- Presentation:
 - Japan Jamboree 63: Fuego Status and Roadmap December 2017 – by Tim Bird







eLinux wiki

- http://elinux.org
 - Web site dedicated to information for embedded Linux developers
 - The wikipedia of embedded linux!
- Hundreds of pages covering numerous topic areas: bootup time, realtime, security, power management, flash filesystem, toolchain, editors
- Slides and Videos for 12 years of ELC!!
- Please use and add to site



Outline





Trade Associations

- Linaro still doing lots of great work
 - Lava v2 and kernelci
 - Now promoting Zephyr
 - Linaro Connect consistently has useful material
- Linux Foundation
 - Continuing to grow
 - First event in China sold out in 2 weeks (1200 attendees)
 - Over 100 conferences, 67 projects
 - Not just Linux
 - More than 500 members



Conferences

- ELC 2017
 - See: http://elinux.org/ELC_2017_Presentations
- Embedded Linux Conference Europe
 - Lots of great sessions!
 - See https://elinux.org/ELC Europe 2017 Presentations
- Embedded Linux Conference 2018
 - March 12-14, Portland, Oregon, USA
- Japan Jamborees
 - Continuing
- Open Source Summit Japan
 - June 20-22, Tokyo, Japan
- ELC Europe 2018
 - October 22-24, Edinburgh, Scotland



Legal Issues

- SPDX adopted by Linux kernel
 - Extensive review done of files without license identifiers
 - Lots of files were tagged with SPDX license IDs
 - See https://lwn.net/Articles/739183/
 - and kernel commit: ead751507
 - applied in 4.14-rc7!
 - https://git.kernel.org/pub/scm/linux/kernel/git/torvald s/linux.git/commit/?id=ead751507de86d90fa250431 e9990a8b881f713c
 - Some complaints about process used for patch



Outline





Resources

- LWN.net
 - http://lwn.net/
 - If you are not subscribed, please do so
- Kernel Newbies
 - http://kernelnewbies.org/Linux_4.??
- eLinux wiki http://elinux.org/
 - Especially http://elinux.org/Events for slides and videos
- Celinux-dev mailing list

