



[Contact](#)
[Extended search](#)
[Home](#)
[About ES&S](#)
[Products](#)
[News](#)
[Calculation](#)
[Service](#)
[FAQ](#)
[Contact](#)

Product categories

STE-I-PEX-20455-040E-12

I-PEX-CABLINE-VS an ultra thin connector series designed for Micro-Coax cables. Possible application areas are high speed LVDS specially for LCD display control. The thickness of the complete connector is only 1.00 mm.

Generally this series is delivered in cable rolls of 4.000 pieces but segments of 10 pieces can be delivered if available from stock.

The following number of poles can be supplied on short notice:

STE-I-PEX-20455-020E-12-20-pin

STE-I-PEX-20455-030E-12-30-pin

STE-I-PEX-20455-040E-12-40-pin

Please find further data in our specification.

Matching cable:

KAB-I-PEX-20453-XXXT-YYYY-1:1ROUND/FLAT

XXX = number of poles (040T = 40-pin)

YYY = length (0500 = 500 mm)

1:1 face plan

ROUND (Roundcable)

FLAT (laminated micro-coax cable)



- [Datasheet CABLINE-VS](#)

- [Drawing](#)

[New Products](#)[Adapter](#)[Cable assembling](#)[Printed Circuit Boards / FPC](#)[FFC / FDC / Flex-Jumper](#)[Cables and Wires](#)[Connector](#)[Manufacturer](#)[ACES](#)[FCI](#)[Harting](#)[HIROSE](#)[I-PEX](#)[JAE](#)[JST](#)[MOLEX](#)[Samtec](#)[STM](#)[TYCO](#)[YEONHO](#)[Pitch](#)[Type](#)[Services](#)

Compatible to: STM MSAK24025P40

Question regarding this product?

[Product contact form](#)

- Klaus Stieler
- +49 (0) 2162 - 266 18 11
- +49 (0) 2162 - 266 18 88
- [E-Mail!](#)

STE-I-PEX-20455-040E-12

SIMILAR PRODUCTS

**ADA-I-PEX-20347-30-SET-0250LI** **NEU****KAB-I-PEX-20345-025T-0100COAX****customized cable assembly****UL accreditation Wiring Harnesses ZPFW2 und ZPFW8****LTG-CAT5-4P-TPMC-C5E-S-HFR-OKI****STE-VI-FPC05P-H20 series**

More products in this category

- [STE-I-PEX-20347-340E-12](#) **NEU**
- [Hirose DF59 Steckverbinder Serie](#) **NEU**
- [TYCO Board-to-Wire](#)
- [STE-VI-FPC05P-H09 Serie](#)
- [STE-VI-FPC05P-H20 Serie](#)

TAGS

[kabel](#) [steckverbinder](#) [connector](#) [lvds](#) [raster](#) [cable](#) [kabelkonfektion](#) [stecker](#)
[rundkabel](#) [pitch](#) [litze](#) [wire](#) [cableassembling](#) [laminiert](#) [i-pex](#) [zoll](#) [roundcable](#)
[micro](#) [laminated](#) [coaxial](#)

STE-I-PEX-20455-040E-12

CONTACT FORM

Do you have a question regarding the product?

Just send us a message with this contact form and we usually will get back to you within 24 hours at work days.

Is your request more urgent?

Then please call the contact person for this product.

He will be pleased to help you.



- Klaus Stieler
- +49 (0) 2162 - 266 18 11
- +49 (0) 2162 - 266 18 88
- [E-Mail!](#)

Product name

STE-I-PEX-20455-040E-12

First name *

Last name *

Company *

Street *

Zip code *

City *

Country *

Message *

Email *

Phone *

Send

Spam-Prävention:

What is the sum of **2 plus 2** ? *

All fields marked with * are mandatory.

Thank you!

SIMILAR PRODUCTS



ADA-I-PEX-20347-30-SET-0250LI **NEU**

The adapter set ADA-I-PEX-20347-30-SET-0250LI is especially designed for high speed LVDS applications/LCD...



KAB-I-PEX-20345-025T-0100COAX

I-PEX CABLINE V series, grid 0.4 mm, cable designed for high speed LVDS applications especially...